



**Everlast Aluminium roof.  
Protection for a lifetime.**



**HINDALCO**  
**Everlast**  
Aluminium Roofing & Structurals  
Nothing lasts as long as Everlast



## About Everlast Aluminium Roofing Sheets

Everlast is a brand of Hindalco Industries Ltd., world's largest Aluminium Rolling Company and the metals flagship of the Aditya Birla Group. Being India's leading brand of Aluminium Roofing Solutions, Everlast is the preferred choice for industrial and residential applications. Available in a wide range of colours and profiles like circular corrugated, trapezoidal and tiled, Everlast roofing sheets are aesthetically pleasing and best-in-class quality. Everlast roofing sheets do not rust, have excellent thermal properties which keep interiors cool, have a high resale value and are 100% environment-friendly.

## Advantages of Everlast Aluminium Roofing and Cladding Sheets

Features		Everlast Aluminium Sheets	G.I. Sheets	Asbestos Cement Sheets
	<b>Rust-proof</b>	Yes	No	No
	<b>Zero maintenance</b>	Yes	No	No
	<b>Strength &amp; weight</b>	High strength, but one third the weight of G.I. Hence, requires lesser structural work	Strong, but requires heavy structural work	Heavy compared to metal. Prone to cracking. Needs heavy structures.
	<b>Looks good</b>	Looks good forever	Only in the initial years	No
	<b>Temperature</b>	Reflects heat. Hence, keeps the interior 6°C cooler in the summer, and warmer in the winter	Absorbs heat, hence warmer than the outer temperature	Absorbs heat, hence warmer than the outer temperature
	<b>Lifespan</b>	Over 40 years	5-8 years	5-8 years
	<b>Resale value</b>	Up to 60% of initial investment	Very low	Nil
	<b>Green metal</b>	Yes. 100% recyclable	No	Environmentally-hazardous

## a. Modern Troughed (Trapezoidal) Sheets

Width: 1097 mm


Thickness	Weight of Sheet (Kg.)	
	Per Sq. Mtrs Area	Per Mtr Length
(mm)		5/200 (1097 mm)
0.71	2.39	2.39
0.65	2.19	2.19
0.56	1.88	1.88
0.46	1.55	1.55
0.40	1.34	1.34



## b. Troughed (Trapezoidal) Sheets

Widths: 920 mm and 1044 mm


Thickness	Weight of Sheet (Kg.)		
	Per Sq. Mtrs Area	Per Mtr Length	
(mm)		7/125 (920 mm)	8/125 (1044 mm)
1.22	4.5	3.97	4.5
0.91	3.36	2.96	3.36
0.71	2.62	2.31	2.62
0.65	2.41	2.12	2.41
0.56	2.07	1.82	2.07



## c. Circular (Sinusoidal) Corrugated Sheets

Widths: 800 mm, 950 mm and 1250 mm


Thickness	Weight of Sheet (Kg.)			
	Per Sq. Mtrs Area	Per Mtr Length		
(mm)		10/75 (800 mm)	12/75 (950 mm)	16/75 (1250 mm)
1.22	3.72	3.01	3.66	4.71
0.91	2.77	2.25	2.68	3.51
0.71	2.14	1.75	2.09	2.74
0.65	1.98	1.6	1.89	2.47
0.56	1.68	1.38	1.65	2.15
0.45	1.38	1.1	1.31	1.7
0.38	1.18	0.96	1.12	1.45



## d. Tiled Profile Sheets


Width: 987 mm

Thickness	Weight of Sheet (Kg.)	
	Per Sq. Mtrs Area	Per Mtr Length
(mm)		
0.5	1.66	1.63




Note: All figures are indicative only.

# Range of Profiles



Modern Troughed Sheets



Troughed Sheets



Circular Corrugated Sheets



Tiled Profile Sheets

## Range of colours\*



Shiny Silver



Snow White



Chocolate Spark



Evergreen



Royal Blue



Cloudy Grey



Brick Red



Emerald Green



Coffee Brown

**Note:** \*Profiles available in other RAL shades also, subject to prior confirmation

## Specifications

**a. Alloys:** AA3003, AA3105 and AA8011

**b. Chemical Composition:** As per relevant specifications

**c. Mechanical Composition:** As per relevant specifications

**d. Thickness:** Ranging from 0.38 mm to 1.2 mm

**e. Standard Length:** Ranging from 1500 mm to 6500 mm.

Customized length can be made available, subject to prior confirmation

**f. Finish:** i. Plain Mill    ii. Stucco-embossed    iii. Colour-coated

# Applications

Everlast is used in a wide range of industrial, commercial and residential projects. Some of them include:

- Plants & Manufacturing Facilities
- Roof-on-Roof
- Direct Roofing
- Bus and Train Terminus
- Warehouses and Parking Bays
- Hotels, Shopping Malls
- Airports and Seaports
- Stadium
- Plantations and Farms



## FOR ENQUIRIES

Call toll-free : 1800-103-9494

## MARKETING HEAD OFFICE & REGD. OFFICE

Hindalco Industries Ltd., 3rd Floor, Century Bhavan, Dr. Annie Besant Road, Worli, Mumbai 400 025.

Tel: +91-22-6691 7000/68. Fax: +91-22-2422 7586

## REGIONAL OFFICES

### North

Vandhana, 5th Floor, 11 Tolstoy Marg,  
New Delhi 110 001.

Tel: 91-11-4220 0200/27/55.

Fax: 91-11-2372 1595

### East

1, Prafulla Chandra Sen Sarani (formerly Middleton Street),  
Kolkata 700 071.

Tel: 91-33-2288 2333, 2290 2210, 2280 9710.

Fax: 91-33-2288 6139

### West

Ahura Centre, 1st Floor, 82 Mahakali Caves Road,  
Andheri (East), Mumbai 400 093.

Tel: 91-22-6691 7000.

Fax: 91-22-6691 7050/70

### South

7th Floor, Industry House, 45 Race Course Road,  
Bengaluru 560 001.

Tel: 91-80-4041 6100, 4041 6053, 97434 84429.

Fax: 91-80-2225 3086

Alupuram Works, P. B. No. 30, Kalamaserry,  
Kerala 683 104.

Tel: 91-484-2532 2497, 098474 46222.

Fax: 91-484-2532 2468

Flat No. 2/A, 2nd Floor, Apex Plaza,  
3 Nungambakkam High Road,  
Chennai 600 034.

Tel: 91-44-2827 2333/43/63, 090920 22699

Fax: 91-44-2827 4756